

GP Batteries

PRODUCT SPECIFICATIONS

**Task Headlamp
Model : PHR15**

Revision History

Revision	Date	Initiator	Reason for Change
1.0	7 th Feb 2018		First Release

Prepared By	Approved By
Yvonne Ng	Kevin Chan
Date: 5 th Feb 2018	Date: 7 th Feb 2018




GPI International Limited

7/F, Building 16W, 16 Science Park West Avenue
Hong Kong Science Park, New Territories, Hong Kong,
Tel: (852) 2484 3333 Fax: (852) 24805912
Email: gpii@goldpeak.com
Website: <http://www.gpbatteries.com>

GP Batteries

Product Specifications

Model no.: PHR15



Product Name	: Hands-free Headlamp - Rechargeable
Lumen output*	: 300 / 150 / 5 lm (+/- 15%)
Candela*	: Max 6200 cd (+/- 15%)
Beam Distance*	: Max 157m (+/- 15%)
Runtime*	: 100%: 5H, 50%: 8H, 1.5%: 69H
Battery type	: 3 x AAA (Alkaline / NiMH)
Inputs	: 5V, 350mA (via micro-USB input)
LED chip	: Cree XP-G2
IP rate*	: IPX6
Shock proof*	: Impact resistant, 1m
Sensor function	: Distance sensor (Auto dimming)



Member
Gold Peak Group

Manufacturer reserves the right to alter or amend the design, model and specification without prior notice.

GP Batteries

Product Specifications

Model no.: PHR15

Dimensions	: 34 x 46 x 56 mm
Weight	: 110 g (with batteries)
Accessories Included	: 3 x AAA NiMH batteries (GP100AAAHC) USB charging cable (60cm) Safety instruction Instruction manual
Certification	: CE, ROHS
Warranty Period	: 24 months from ex-factory date

Key features:

- Hands free auto-dimming- light will tune up/down automatically according to distance
- USB rechargeable NiMH battery (3 x AAA) with charge status-red/ green LED
- Long beam distance for improved vision
- Advanced optical design for spot and flood beam in one
- Quick set high/medium/low/ flashing warning light
- Water-resistant design
- PWM regulation for accurate light output at different levels
- Lockout mode for accidental activation
- Reverse polarity protection
- Light and comfortable to use
- Utilizes Cree LED
- Power indicator light

*Per ANSI FL1 Standard